



AIRBUS A320

**APPLICATION FOR THE INCLUSION OF AEROPLANE IN THE AIRCRAFT RATING OF A PILOT'S LICENCE**

**SECTION 1: PERSONAL PARTICULARS OF APPLICANT (In BLOCK CAPITALS)**

Full Name (Surname first) \_\_\_\_\_

Licence Number \_\_\_\_\_ Type of licence \_\_\_\_\_

Address to which licence is to be returned \_\_\_\_\_

Tele. /Mobile number \_\_\_\_\_

\* Please see the 'General notes' before carrying out the exercise.

**SECTION 2: APPLICATION**

I apply to have AIRBUS A320 aeroplane included in the Aircraft Rating, Aeroplanes,  Part1 (P1) or  Part2 (P2) (tick whichever is applicable) on my Pilot's Licence. I certify that the information provided on this form is true to the best of my knowledge and belief.

Signature \_\_\_\_\_

Date \_\_\_\_ / \_\_\_\_ / \_\_\_\_

**SECTION 3: DECLARATION OF TRAINING AND PROFICIENCY**

This applicant has satisfactorily completed a course integrating ground, flying and simulator training on Airbus A320 series aeroplanes and has demonstrated a satisfactory level of proficiency to Authorized Examiners in this aeroplane or in a simulator approved by Kuwait DGCA for the particular purpose in each test certified overleaf (the boxed Certificate of Test items being completed on date \_\_\_\_/\_\_\_\_/\_\_\_\_) and in the following aspects of operation where appropriate.

- 3.1 Use of all the equipment fitted to this aircraft which is the responsibility of the Flight Crew.
- 3.2 Performance of normal, abnormal, alternate and emergency drills appropriate to Flight Crew duties as defined in the relevant flight and/or Operations Manual.
- 3.3 Ability to carry out at the system panel of the aircraft all normal in-flight procedures.

Signature \_\_\_\_\_

Date \_\_\_\_ / \_\_\_\_ / \_\_\_\_

Training Pilot-in-charge \_\_\_\_\_

Name in BLOCK CAPITALS \_\_\_\_\_ Licence number & type \_\_\_\_\_

**FOR OFFICE USE ONLY:**

ACCEPT	P1	P2
--------	----	----

REJECT because: \_\_\_\_\_

\_\_\_\_\_

Date	
Amount in KD.	
DGCA Letter Ref:	

Signature \_\_\_\_\_

Date \_\_\_\_ / \_\_\_\_ / \_\_\_\_



**SECTION 4: CERTIFICATE FOR TYPE RATING ON A PROFESSIONAL PILOT'S LICENCE.**

I being a person duly authorized in writing by the Kuwait DGCA to conduct such aircraft rating tests hereby certify that I have flown in an Airbus A320 aeroplane or Kuwait DGCA approved simulator with \_\_\_\_\_ at the controls and that the applicant has carried out \*satisfactorily and \*unassisted, under the conditions stated, the maneuvers and drills against which my signature appears below together with my name in **BLOCK CAPITALS** beneath the signature.

	<b>Date of test</b>	<b>A/c Reg or Sim Code</b>	<b>Examiners Signature (Name CAPS once)</b>	<b>Authority Number</b>
<b>4.1 By Day in aeroplane in flight</b>				
4.1.1	Normal take-off and climb to circuit altitude.			
4.1.2	Visual circuit, approach without visual or radio glideslope guidance, without autothrust and go-around from 100 ft AGL.			
4.1.3	Visual circuit, approach without visual or radio glideslope guidance, with autothrust system and full stop landing using reverse thrust.			
<b>4.2 By Day or Night in aeroplane in flight or in a simulator approved by Kuwait DGCA.</b>				
4.2.1	Accelerate-stop with simulated failure of one engine before V1.			
4.2.2	Visual circuit, approach without visual or glideslope guidance, aircraft in Direct Law, and full stop landing using reverse thrust.			
4.2.3	In normal law, clean configuration, reduce airspeed progressively, starting with a reduced thrust setting and allowing alpha-floor to operate normally until a stabilized condition is achieved with full aft stick selected. Recover to normal flight.			
4.2.4	In normal law, approach configuration (Configuration 3), reduce airspeed progressively starting with a reduced thrust setting and allowing alpha-floor to operate normally until a stabilized condition is achieved with full aft stick selected. Recover to normal flight.			
4.2.5	In 'Alternate Law' Configuration 2, (or configuration 3 with gear selected up), reduce speed to onset of stall warning. Recover to normal flight.			
4.2.6	High Mach run at or above 30,000 ft to onset of 'High Speed' protection (0.88 M NOT TO BE EXCEEDED) Recover by reducing power and using speed brakes.			
4.2.7	Flight in 'Mechanical' back up mode including transition from 'Normal' mode and control of altitude, heading and airspeed.			



	Date of test	A/c Reg or Sim Code	Examiners Signature (Name CAPS once)	Authority Number
4.2.8	Emergency descent starting above 30,000 ft AGL, through at least 15,000ft. with recovery at a pre-determined altitude not below 10,000 ft AGL.			
4.2.9	In flapless and slatless configuration, approach from 10 miles and go-around from 50 ft AGL (in the simulator a landing should be completed instead of go-around).			
4.2.10	In flapless configuration, but with slats extended, approach from 10 miles and landing.			
4.2.11	Approach and go-around on instruments with all engines operating with autothrust system.			
<b>4.3 By Day or Night in Aeroplane in flight or in a simulator approved by Kuwait DGCA.</b>				
4.3.1	Take-off with simulated failure of an engine between V <sub>1</sub> and V <sub>2</sub> and climb to circuit altitude.			
4.3.2	With one engine simulated failed, ILS approach without autothrust system to decision altitude and go-around, solely by reference to instruments.			
4.3.3	With one engine simulated failed, approach without autothrust and full stop landing using asymmetric reverse thrust.			
<b>4.4 By Day or Night in aeroplane in flight or in a simulator approved by Kuwait DGCA.</b>				
4.4.1	Take off with simulated failure of one engine between V <sub>1</sub> and V <sub>2</sub> and climb to circuit altitude.			
4.4.2	With one engine simulated failed, visual circuit approach without autothrust and go-around.			
4.4.3	With one engine simulated failed, visual circuit approach without autothrust and full stop landing using asymmetric reverse thrust.			
<b>4.5 By Day or Night in aeroplane in flight or in a simulator approved by Kuwait DGCA. (Simulator training right hand seat covering boxed item)</b>				
4.5.1	Take-off with simulated failure of an engine between V <sub>1</sub> and V <sub>2</sub> and climb to circuit altitude.			



	Date of test	A/c Reg or Sim Code	Examiners Signature (Name CAPS once)	Authority Number
4.5.2 With one engine simulated failed, ILS approach without autothrust system to decision altitude and go-around, solely by reference to instruments.				
4.5.3 With one engine simulated failed, approach without autothrust and full stop landing using asymmetric reverse thrust.				
<b>4.6 By Day or Night in aeroplane in flight or in a simulator approved by Kuwait DGCA. (Aircraft training right hand seat covering boxed item)</b>				
4.6.1 Take-off with simulated failure of an engine between V <sub>1</sub> and V <sub>2</sub> and climb to circuit altitude.				
4.6.2 With one engine simulated failed, ILS approach without autothrust system to decision altitude and go-around, solely by reference to instruments.				
4.6.3 With one engine simulated failed, approach without autothrust and full stop landing using asymmetric reverse thrust.				

**SECTION 5: FLYING EXPERIENCE**

I have had the following flying experience on Airbus A320 as recorded in my personal Pilot's Flying Logbook:

5.1 Type of conversion training

Handling	Aeroplane Hours	Simulator Hours
P1 under supervision		
As Co-Pilot		
As Observer		

Certified correct, Training Pilot in charge \_\_\_\_\_ Date \_\_\_\_/\_\_\_\_/\_\_\_\_

Name in BLOCK CAPITALS \_\_\_\_\_ Lic.No \_\_\_\_\_



## **GENERAL NOTES**

1. "Night" means the hours between half an hour after sunset and half an hour before sunrise. "Day or Night" at paragraph 4.2 permits tests in the twilight period.
2. "A circuit" is the flight path around an aerodrome at a specified altitude which facilitates an aircraft's positioning from a point on the take-off path of a given runway to a point, on the approach path of the same runway, from which a landing can be made.
3. "Satisfactorily" means that the applicant is in full control of the aeroplane at all times and that the successful outcome of a maneuver is never in doubt. "Unassisted" means without verbal prompting or physical assistance with the flying controls.
4. "Clean configuration" means with the landing gear, slats and flaps fully retracted.
5. In the aeroplane "Simulated engine failure" means with engine controls set up for low power after landing gear retraction so as to represent a failed engine as nearly as possible. In the flight simulator any approved method or simulating engine failure may be used. The accelerate-stop tests required by this form should be carried out as follows:-
  - (i) In the aeroplane, simulated engine failure should be initiated at a speed which will not hazard the safety of the aircraft.
  - (ii) In a flight simulator, simulated engine failure should be initiated at a speed which is close to  $V_1$  but which is sufficiently below to require a decision to stop. e.g.  $V_1 -5$  to 10 kt.
6. Emergency descent procedure should be carried out in flight by announcing a pressurization failure, donning masks, carrying out touch drills and descending the aeroplane through a representative altitude band. The aeroplane should NOT be depressurized.
7. The items of test in the heavily outlined box at Section 4 together comprise the flying test for the Certificate of Test described in Kuwait Civil Aviation Safety Regulations (KCASR). When a simulator is permitted to be used, the C of T test for any pilot should be that in the box at Section 4. Endorsement of the licence will date from the completion of these tests. A flight simulator must be specifically authorized by the Kuwait DGCA before testing boxed C of T items during initial ratings on Type.
8. Certain items of this test may be carried out on an appropriate flight simulator which has been specifically approved by Kuwait DGCA for them. Items so approved are enumerated in the relevant flight simulator approval, which also shows the Simulator Code for column 3.
9. Only persons holding written authorization from the Kuwait DGCA in respect of the aeroplane type and/or simulator used for this test may sign for the satisfactory completion of any test on this form
10. Applicants are reminded that the technical and flying tests (simulator only) may be undertaken in any order but both must have been satisfactorily concluded within 6 months preceding the application for the aircraft rating.
11. All deck crew will go through the same drills and training required up to Part 1 qualifications, but the co-pilot will be endorsed with P<sub>2</sub> endorsements. Based on the request by the Operator after the completion of the candidate's command training, the DGCA will endorse the licence with P<sub>1</sub>.
12. This issue of DGCA Skill Test Form is for the use in respect of all Airbus A320 aeroplanes only.

- End -